


SOPORTES AUTOCENTRANTES DE PIE

DE PIE




Dimensiones mm

EJE	A	B	C	D	E	F	G	H	I
20	33.3	132	96	40	19	12	16	72	31
25	36.5	139	110	40	19	12	16	72	35
30	42.9	166	118	48	21	15	16	86	38
35	47.6	170	123	48	21	15	17	94	43
40	49.2	185	136	55	25	15	18	98	48
45	54	192	145	55	25	15	19	112	48
50	57.1	210	159	62	25	17	21	119	51
55	63.5	222	171	63	25	17	22	131	54
60	69.9	243	184	72	25	17	24	143	62
65	76.2	287	203	83	40	21	28	153	70
70	88.9	332	229	91	50	24	30	170	70

DE BRIDA (2 AGUJEROS)


[illegible]

SOPORTES AUTOCENTRANTES DE BRIDA (4 AGUJEROS)



Dimensiones mm									
EJE	A	B	C	D	E	F	G	H	I
20	86	63.5	11	25	31	10	61	-	-
25	95	69.8	13.5	27	35	11.7	70	-	-
30	108	82.5	13.5	30	38	11.7	83	-	-
35	118	92.1	15	34.5	43	13.2	94	-	-
40	130	101.6	15	38	48	13.2	105	-	-
45	137	104.8	15	40	48	14.7	112	-	-
50	143	111.1	15	40	51	14.7	116	-	-
55	162	130.2	21	45	54	14.7	134	-	-
60	176	142.9	21	50	62	16.2	139	-	-
65	190	149.2	21	58	70	16.2	156	-	-
70	198	152.4	26	60	70	20	165	-	-

SOPORTES AUTOCENTRANTES TENSOR



Dimensiones mm									
EJE	A	B	C	D	E	F	G	H	I
20	76.2	13.5	98	90	19	53	51	31	-
25	76.2	13.5	98	90	19	53	51	34	-
30	95	13.5	114	102	22	57	59	38	-
35	95	13.5	132	104	22	66	65	43	-
40	102	17.5	150	114	29	85	88	50	-
45	102	17.5	150	117	29	85	88	50	-
50	102	17.5	150	117	29	85	88	52	-
55	130	27	171	146	35	102	95	56	-
60	130	27	196	146	35	105	104	65	-
65	150	27	228	167	41	114	122	68	-
70	150	27	232	167	41	114	122	73	-